



# Prune—Late-Fall Weed Survey

## Supplement to UC IPM Pest Management Guidelines: Prune

Grower/Orchard: \_\_\_\_\_ Date: \_\_\_\_\_

Comments: \_\_\_\_\_

Mechanical Control/Herbicide/Application Date: \_\_\_\_\_

**Directions:**

1. After first rains, look for winter annuals in tree rows to check the effectiveness of any preemergent herbicide applications.
2. Check the ground cover in row middles for perennial seedlings. Perennials are unwanted in any area of the orchard.
3. Use the checklist to record weeds in your orchard and use the map to show the areas in which you found specific problematic weeds.
4. Rate infestation either using a numeric scale from 1 to 5 (1 being lightest), or use "light," "medium," or "heavy."

Weed Seedlings	Row middles	Rows
<b>Annual broadleaves</b>		
cudweed		
fiddlenecks		
filaree		
groundsel, common		
henbit		
lettuce, miner's		
mallow, little (cheeseweed)		
mustards		
nettle, burning		
pineapple-weed		
polypogon, rabbitfoot		
radish, wild		
redmaids (desert rockpurslane)		
rocket, London		
shepherd's-purse		
<b>Annual grasses</b>		
barley, hare (wild)		
bluegrass, annual		
bromegrasses		
canarygrass		
oat, wild		
panicum, fall		
ryegrasses		

Weed Seedlings	Row middles	Rows
<b>Perennial broadleaves</b>		
bindweed, field		
blackberries, wild		
clovers		
strawberry clover		
white clover		
dandelion		
dock, curly		
fluellins		
oxalis		
plaintain, buckhorn		
<b>Perennial grasses</b>		
bermudagrass		
dallisgrass		
fescues		
johnsongrass		
<b>Other perennials</b>		
nutsedge		
<b>Mature annual weeds in tree row</b>		

Grower/Orchard: \_\_\_\_\_ Date: \_\_\_\_\_

Comments: \_\_\_\_\_

**Map your orchard weeds**

N  
↑

